



Jato® 4X4 Brushless (Model 90154-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

| | |
|-------------|--------------------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5120A | Ball bearings, black rubber sealed (12x18x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |
| 5114 | Ball bearings, blue rubber shield (5x8x2.5mm) (2) |
| 2545 | Bushings (plastic) (5x8x2.5mm) (4) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |

Body & Accessories

| | |
|-------------|----------------------------------------------------------------------------------------------|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 9018 | Body, Jato® 4X4 Brushless (clear, requires painting)/window masks, decal sheet |
| 9018-BLUE | Body, Jato® 4X4 Brushless, blue (painted, decals applied) |
| 9018-GRN | Body, Jato® 4X4 Brushless, green (painted, decals applied) |
| 9018-RED | Body, Jato® 4X4 Brushless, red (painted, decals applied) |
| 9021 | Latch, body mount, left (1)/ right (1) (for clipless body mounting) (attaches to #9018 body) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |

Center Driveline

| | |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 6893X | Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6893G | Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6877A | Cover, gear (clear) |
| 6877 | Cover, gear/ motor wire hold-down clip |
| 6814 | Differential kit, center (complete) |
| 6780A | Differential kit, center (complete) |
| 6780 | Differential kit, center (complete) (aluminum carrier) |
| 6888 | Drive hub, center, rear (1)/ 4x3 GS (1) |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1) |
| 6855 | Driveshaft, center, 6061-T6 aluminum (blue-anodized) |
| 6855G | Driveshaft, center, 6061-T6 aluminum (green-anodized) |
| 6855R | Driveshaft, center, 6061-T6 aluminum (red-anodized) |
| 7455 | Driveshaft, center, plastic (black)/ screw pin |
| 6790 | Gear adapters, fixed, Rustler® 4x4 |
| 5148 | Grease, white lithium |
| 6893 | Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1) |
| 7490 | Plate, motor |
| 7490G | Plate, motor, green |
| 7490A | Plate, motor, orange |
| 7490R | Plate, motor, red |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 2554 | Screws, 3x6mm caphead machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 1647 | Silicone Grease |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 5351 | Slipper pressure plate and hub (alloy) |

Chassis & Attachments

| | |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 7426 | Battery hold-down (1)/ hold-down retainer, front & rear (1 each) |
| 7426X | Battery hold-down, tall (1)/ hold-down retainer, front & rear (1 each) (allows for installation of taller, multi-cell batteries) |
| 7424 | Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2) |
| 7422-DKGRY | Chassis, charcoal gray |
| 7422-GRAY | Chassis |
| 9024 | Chassis brace (center) |
| 9024-BLUE | Chassis brace (center), 6061-T6 aluminum (blue-anodized) |
| 9024-GRAY | Chassis brace (center), 6061-T6 aluminum (gray-anodized) |

| | |
|------------------|-------------------------------------------------------------------------------------------------|
| 9024-GRN | Chassis brace (center), 6061-T6 aluminum (green-anodized) |
| 9024-ORNG | Chassis brace (center), 6061-T6 aluminum (orange-anodized) |
| 9024-RED | Chassis brace (center), 6061-T6 aluminum (red-anodized) |
| 7420 | Clipless mounts, body (left & right) (for #7412 series bodies) |
| 9025 | Mounts, chassis brace (front & rear) |
| 9045 | Mounts, sway bar (front & rear) |
| 7425 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 9044 | Skid plates (front & rear) |
| 9098 | Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage) |
| 9617 | Wing washer, 6061-T6 aluminum (blue-anodized) (1)/ 4x12mm FCS (2) |
| 9617A | Wing washer, 6061-T6 aluminum (dark-titanium anodized) (1)/ 4x12mm FCS (2) |
| 9617G | Wing washer, 6061-T6 aluminum (green-anodized) (1)/ 4x12mm FCS (2) |
| 9617T | Wing washer, 6061-T6 aluminum (orange-anodized) (1)/ 4x12mm FCS (2) |
| 9617R | Wing washer, 6061-T6 aluminum (red-anodized) (1)/ 4x12mm FCS (2) |
| 9517X | Wing/ wing washer (blue)/ 4x12mm FCS (2) |
| 9517G | Wing/ wing washer (green)/ 4x12mm FCS (2) |
| 9517T | Wing/ wing washer (orange)/ 4x12mm FCS (2) |
| 9517R | Wing/ wing washer (red)/ 4x12mm FCS (2) |
| 9517A | Wing/ wing washer (white)/ 4x12mm FCS (2) |
| 9517 | Wing/ wing washer/ 4x12mm FCS (2) |

Differential Components

| | |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |
| 5381 | Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW |
| 6780A | Differential kit, center (complete) |
| 6814 | Differential kit, center (complete) |
| 6780 | Differential kit, center (complete) (aluminum carrier) |
| 5136X | Differential oil kit (1 each: 10K, 30K, 50K weights) |
| 6788 | Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) |
| 6789 | Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio) |
| 6882X | Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support) |
| 6783 | Gear set, differential (spider gears (4)/ spider gear shaft (2)) |
| 6781 | Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4) |
| 6881 | Housings, differential, front |
| 6880 | Housings, differential, rear |
| 6782 | Output gears, center differential, hardened steel (2) |
| 5379X | Ring gear, differential/ pinion gear, differential |
| 5379R | Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front) |
| 6879R | Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) |
| 6879 | Ring gear, differential/ pinion gear, differential (rear) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 1647 | Silicone Grease |
| 9085 | Wheel hubs, hex (4)/ axles (4)/ axle pins (4) |
| 9086 | Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) |
| 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 5353A | Wheel nuts, splined, 17mm (green-anodized) (4) |
| 7758A | Wheel nuts, splined, 17mm, serrated (black-anodized) (4) |
| 7758 | Wheel nuts, splined, 17mm, serrated (blue-anodized) (4) |
| 7758-GRAY | Wheel nuts, splined, 17mm, serrated (gray-anodized) (4) |
| 7758G | Wheel nuts, splined, 17mm, serrated (green-anodized) (4) |
| 7758T | Wheel nuts, splined, 17mm, serrated (orange-anodized) (4) |
| 7758R | Wheel nuts, splined, 17mm, serrated (red-anodized) (4) |

Driveline Components

| | |
|-------|----------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |

Page 2 Jato® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 90154-4) Parts List

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9059X | Cross pin (2)/ drive pin (2) (repairs 1 axle shaft) |
| 9057X | Differential output shafts, steel-splined constant-velocity (2) |
| 9057 | Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit) |
| 9051 | Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 9052 | Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 6855 | Driveshaft, center, 6061-T6 aluminum (blue-anodized) |
| 6855G | Driveshaft, center, 6061-T6 aluminum (green-anodized) |
| 6855R | Driveshaft, center, 6061-T6 aluminum (red-anodized) |
| 7455 | Driveshaft, center, plastic (black)/ screw pin |
| 9051R | Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 9052R | Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 9055X | Half shaft, external splined (steel-spline constant velocity) (1) |
| 9056X | Half shaft, internal splined (steel-spline constant velocity) (1) |
| 9058X | Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) |
| 9056 | Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 9054 | Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts) |
| 9053 | Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts) |
| 5452X | U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (6)/ 3x6x0.5 MW (4)) (metal parts for 2 driveshafts) |

Extreme HD Upgrade Kit

| | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9050 | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050X | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050G | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050T | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050R | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032 | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032X | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032-GRAY | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032G | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032T | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032R | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9057 | Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit) |
| 9051 | Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 9052 | Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 9051R | Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |

| | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9052R | Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 9080 | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black |
| 9080X | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue |
| 9080-GRAY | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray |
| 9080G | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green |
| 9080T | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange |
| 9080R | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red |
| 9043 | Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit) |
| 9033-BLUE | Shock tower, front (blue) |
| 9033-GRAY | Shock tower, front (gray) |
| 9033-GRN | Shock tower, front (green) |
| 9033-ORNG | Shock tower, front (orange) |
| 9033-RED | Shock tower, front (red) |
| 9034-BLUE | Shock tower, rear (blue) |
| 9034-GRAY | Shock tower, rear (gray) |
| 9034-GRN | Shock tower, rear (green) |
| 9034-ORNG | Shock tower, rear (orange) |
| 9034-RED | Shock tower, rear (red) |
| 9037 | Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037X | Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037G | Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037T | Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037R | Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9056 | Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 9055 | Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 9054 | Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts) |
| 9053 | Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts) |
| 9042 | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit) |
| 9042X | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 9069 | Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles) |

Front Suspension & Steering

| | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) |
| 6823G | Bulkhead tie bars, front & rear, aluminum (green-anodized) |
| 6823R | Bulkhead tie bars, front & rear, aluminum (red-anodized) |
| 7430X | Bulkhead, front |
| 9029 | Camber links, front (90mm) (2) (assembled with hollow balls) |
| 9032 | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032X | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032-GRAY | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032G | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032T | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9032R | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9057 | Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit) |

Page 3 Jato® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 90154-4) Parts List

| | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6845A | Drag link, machined 6061-T6 aluminum (blue-anodized) |
| 6845G | Drag link, machined 6061-T6 aluminum (green-anodized) |
| 6845T | Drag link, machined 6061-T6 aluminum (orange-anodized) |
| 6845R | Drag link, machined 6061-T6 aluminum (red-anodized) |
| 9051 | Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 9051R | Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 6846 | Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 9033-BLUE | Shock tower, front (blue) |
| 9033-GRAY | Shock tower, front (gray) |
| 9033-GRN | Shock tower, front (green) |
| 9033-ORN | Shock tower, front (orange) |
| 9033-RED | Shock tower, front (red) |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 9037 | Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037X | Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037G | Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037T | Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9037R | Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9056 | Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 3655-BLUE | Suspension arms, blue, front/rear (left & right), heavy duty (2) |
| 3655-BLK | Suspension arms, front/rear (left & right), heavy duty (2) |
| 3655-GRN | Suspension arms, green, front/rear (left & right), heavy duty (2) |
| 3655-ORN | Suspension arms, orange, front/rear (left & right), heavy duty (2) |
| 3655-RED | Suspension arms, red, front/rear (left & right), heavy duty (2) |
| 6834 | Suspension pin set, complete (front and rear) |
| 9042 | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit) |
| 9042X | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 9027 | Toe links, molded composite, 98mm (88mm center to center) (black) (2) |

Hardware

| | |
|-------|---------------------------------------------------------------------|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1589 | Double-sided adhesive tape (25mm x 25mm) |
| 2745 | Nuts, 3mm nylon locking (12) |
| 1747 | Nuts, 4mm nylon locking (10) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |
| 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 2586 | Screws, 3x15mm cap-head machine (hex drive) (6) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 2583 | Screws, 3x18 button-head machine (hex drive) (6) |
| 2580 | Screws, 3x20mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2592 | Screws, 3x40mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 2534 | Screws, 3x6mm countersunk machine (6) (hex drive) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3937 | Screws, 4x12mm button-head machine (hex drive) (6) |
| 2542 | Screws, 4x12mm countersunk machine (hex drive) (6) |
| 2546 | Screws, 4x15mm countersunk machine (hex drive) (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |

| | |
|-----------|-----------------------------------------------------------|
| 2754 | Stub axle pins (4) |
| 2746 | Washers, 3x6mm metal (12) |
| 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 5353A | Wheel nuts, splined, 17mm (green-anodized) (4) |
| 7758A | Wheel nuts, splined, 17mm, serrated (black-anodized) (4) |
| 7758 | Wheel nuts, splined, 17mm, serrated (blue-anodized) (4) |
| 7758-GRAY | Wheel nuts, splined, 17mm, serrated (gray-anodized) (4) |
| 7758G | Wheel nuts, splined, 17mm, serrated (green-anodized) (4) |
| 7758T | Wheel nuts, splined, 17mm, serrated (orange-anodized) (4) |
| 7758R | Wheel nuts, splined, 17mm, serrated (red-anodized) (4) |

Motors & Electronics

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) |
| 3382 | BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor) |
| 3383 | BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 3340 | Cooling fan, electronic speed control, Velineon® VXL-3s or BL-2s™ |
| 6790 | Gear adapters, fixed, Rustler® 4x4 |
| 2072A | Gear set (for 2070, 2075 servos) |
| 7460A | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) |
| 7460R | Motor mount, 6061-T6 aluminum (blue-anodized) |
| 3384 | Motor, BL-2s™ 3300, brushless |
| 7490 | Plate, motor |
| 7490G | Plate, motor, green |
| 7490A | Plate, motor, orange |
| 7490R | Plate, motor, red |
| 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2280 | Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) |

Radio System, Batteries & Chargers

| | |
|---------|------------------------------------------------------------------------------------------------------------------|
| 2827X | 3000mAh 7.4v 2-Cell LiPo Battery |
| 2923X | 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell |
| 2926X | 3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell |
| 2942X | 3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell |
| 2940X | 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell |
| 2941X | 3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell |
| 2952X | 4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell |
| 2950X | 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell |
| 2951X | 4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell |
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2960X | 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell |
| 2961X | 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC adapter |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) |
| 2943 | Battery charge indicators, green (4), grey (4), blue (4) |
| 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2985-2S | Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) |
| 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) |
| 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification |
| 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification |
| 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |

Page 4 Jato® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 90154-4) Parts List

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------|
| 2985 | Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification |
| 6512 | Cover plate, Traxxas® Link Bluetooth® module |
| 2978 | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6519 | Receiver, micro, TQ 2.4GHz (3-channel) |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6539 | Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential) |
| 6538 | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) |
| 6516 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) |
| 6528 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas® Link Bluetooth® module |

Ready-To-Race Model

| | |
|---------|---------------------------------------------------------------------------------------|
| 90154-4 | Jato® 4X4 Brushless: 1/8 Scale 4WD Electric Racing Buggy with TQ™ 2.4GHz Radio System |
|---------|---------------------------------------------------------------------------------------|

Rear Suspension

| | |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) |
| 6823G | Bulkhead tie bars, front & rear, aluminum (green-anodized) |
| 6823R | Bulkhead tie bars, front & rear, aluminum (red-anodized) |
| 7429 | Bulkhead, rear |
| 9028 | Camber links, rear (81mm) (2) (assembled with hollow balls) |
| 9050 | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050X | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050G | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050T | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9050R | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit) |
| 9052 | Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit) |
| 9052R | Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit) |
| 9034-BLUE | Shock tower, rear (blue) |
| 9034-GRAY | Shock tower, rear (gray) |
| 9034-GRN | Shock tower, rear (green) |

| | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9034-ORNG | Shock tower, rear (orange) |
| 9034-RED | Shock tower, rear (red) |
| 9056 | Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 9055 | Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit) |
| 3655-BLUE | Suspension arms, blue, front/rear (left & right), heavy duty (2) |
| 3655-BLK | Suspension arms, front/rear (left & right), heavy duty (2) |
| 3655-GRN | Suspension arms, green, front/rear (left & right), heavy duty (2) |
| 3655-ORNG | Suspension arms, orange, front/rear (left & right), heavy duty (2) |
| 3655-RED | Suspension arms, red, front/rear (left & right), heavy duty (2) |
| 6834 | Suspension pin set, complete (front and rear) |
| 9042 | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit) |
| 9042X | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |

Shock Oil

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------|
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 5038 | Spinning carousel rack |

Shocks (GTR)

| | |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 7467X | Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1) |
| 7467 | Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1) |
| 7467G | Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1) |
| 7467A | Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1) |
| 7467R | Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1) |
| 7467-GRAY | Body, GTR xx-long shock, gray (2) |
| 7468 | Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 5475 | Multi-tool (plastic) |
| 5158 | Nuts, 2.5mm nylon locking (12) |
| 7463 | Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks) |
| 7465T | Shaft, GTR xx-long, TiN-coated (2) |
| 7462-GRAY | Shocks, GTR xx-long (gray) (assembled) (2) (without springs) |
| 7462 | Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462G | Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462-ORNG | Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462-PINK | Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462-RED | Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462X | Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs) |
| 8459 | Spring retainers, lower (captured) (4)/ 2.5x10 CS (4) |
| 7440 | Spring, shock, white (GTR long) (0.623 rate orange) (1 pair) |
| 7441 | Spring, shock, white (GTR long) (0.653 rate green) (1 pair) |
| 7444 | Spring, shock, white (GTR long) (0.767 rate black) (1 pair) |
| 7445 | Spring, shock, white (GTR long) (0.810 rate pink) (1 pair) |
| 7448 | Spring, shock, white (GTR long) (0.892 rate blue) (1 pair) |
| 7442 | Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair) |
| 7443 | Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair) |
| 7446 | Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair) |
| 7447 | Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair) |
| 7449 | Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair) |

Slipper Clutch Components

| | |
|-------|----------------------------------------------------------------------------------------------------------------------------|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 6893X | Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |

Page 5 Jato® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 90154-4) Parts List

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 6893G | Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6814 | Differential kit, center (complete) |
| 6888 | Drive hub, center, rear (1)/ 4x3 GS (1) |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1) |
| 6883 | Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) |
| 6884 | Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) |
| 6893 | Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1) |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554 | Screws, 3x6mm caphead machine (hex drive) (6) |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 5351 | Slipper pressure plate and hub (alloy) |

| | |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9074-BLK | Tires & wheels, assembled, glued (black dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2) |
| 9074-GRN | Tires & wheels, assembled, glued (green dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2) |
| 9074-WHT | Tires & wheels, assembled, glued (white dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2) |
| 9074-YLW | Tires & wheels, assembled, glued (yellow dished 3.0" wheels, Response Pro 3.0" tires, foam inserts) (2) |
| 9085 | Wheel hubs, hex (4)/ axles (4)/ axle pins (4) |
| 9086 | Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit) |
| 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 5353A | Wheel nuts, splined, 17mm (green-anodized) (4) |
| 7758A | Wheel nuts, splined, 17mm, serrated (black-anodized) (4) |
| 7758 | Wheel nuts, splined, 17mm, serrated (blue-anodized) (4) |
| 7758-GRAY | Wheel nuts, splined, 17mm, serrated (gray-anodized) (4) |
| 7758G | Wheel nuts, splined, 17mm, serrated (green-anodized) (4) |
| 7758T | Wheel nuts, splined, 17mm, serrated (orange-anodized) (4) |
| 7758R | Wheel nuts, splined, 17mm, serrated (red-anodized) (4) |
| 5480X | Wheel wrench, splined, 17mm |

Spur Gears & Pinion Gears

| | |
|-------|------------------------------------------------------------------------------------------------------|
| 6746 | Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 6747 | Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3919 | Gear, 12-T pinion (32-pitch)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 6745 | Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 6842 | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 6842R | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential) |
| 6843 | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 6843R | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential) |
| 3956 | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 3956R | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) |
| 3956X | Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) |

Steering Components

| | |
|-------|--------------------------------------------------------------------------------------------------|
| 6845A | Drag link, machined 6061-T6 aluminum (blue-anodized) |
| 6845G | Drag link, machined 6061-T6 aluminum (green-anodized) |
| 6845T | Drag link, machined 6061-T6 aluminum (orange-anodized) |
| 6845R | Drag link, machined 6061-T6 aluminum (red-anodized) |
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |

Suspension Linkage

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9029 | Camber links, front (90mm) (2) (assembled with hollow balls) |
| 9028 | Camber links, rear (81mm) (2) (assembled with hollow balls) |
| 6834 | Suspension pin set, complete (front and rear) |
| 9042 | Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit) |
| 9042X | Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit) |
| 9027 | Toe links, molded composite, 98mm (88mm center to center) (black) (2) |

Team Traxxas Items

| | |
|------|---------------------------------------------------------------------------|
| 9916 | Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar) |
| 2514 | Decal sheet, racing sponsors |
| 9917 | Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|------|---------------------------------------------------------------------------------------------|
| 3981 | PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings) |
| 1647 | Silicone Grease |
| 2754 | Stub axle pins (4) |
| 9073 | Tires & wheels, assembled, glued (3.0" black wheels, Sledgehammer® tires, foam inserts) (2) |

Traxxas Tools

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3433X | Body reamer (aluminum handle) |
| 3433 | Body reamer (plastic handle) |
| 3436 | Cap, body reamer |
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |
| 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive |
| 8720 | Speed bit handle, large (overmolded) |
| 8721 | Speed bit handle, medium (one piece) |
| 8722 | Speed bit handle, premium (rubber overmold) |
| 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8719 | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8716 | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive |
| 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive |
| 8715 | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive |
| 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8714 | Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive |
| 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) |
| 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle) |

Turnbuckles & Threaded Rods

| | |
|------|-----------------------------------------------------------------------|
| 9029 | Camber links, front (90mm) (2) (assembled with hollow balls) |
| 9028 | Camber links, rear (81mm) (2) (assembled with hollow balls) |
| 9027 | Toe links, molded composite, 98mm (88mm center to center) (black) (2) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM