

## TRX-4MT™ 1/18 1979 Chevrolet® K10 Monster Truck (Model 98064-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axie Components	Body	y & Accessories (1979 Ford® F-150® Truck)
9787-BLUE	Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9844X	Body conversion kit, 1/18 scale TRX-4MT™ Bigfoot® No. 1 (includes front grille, engine detail & decals) (fits #9812 body)
9787-GRAY	Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9812	Body, Ford F-150 Truck (1979), complete (unassembled) (white, requires painting) (includes grille, side mirrors, door handles,
9787-GRN	Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)		roll bar, windshield wipers, side trim, & clipless mounting) (requires #9834 front & rear bumpers)
9787-ORNG	Axle cover, 6061-T6 aluminum (orange-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9812-BLK	Body, Ford F-150 Truck (1979), complete, black (includes grille, side mirrors, door handles, roll bar, windshield wipers, side trim,
9787-RED	Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9812-BLUE	& clipless mounting) (requires #9834 front & rear bumpers) Body, Ford F-150 Truck (1979), complete, blue (includes grille,
9787	Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with threadlock) (8)		side mirrors, door handles, roll bar, windshield wipers, side trim, & clipless mounting) (requires #9834 front & rear bumpers)
9738-BLKCR	Axle cover, front or rear (black chrome) (2)	9812-BRWN	
9738	Axle cover, front or rear (black) (2)		side mirrors, door handles, roll bar, windshield wipers, side trim,
9738-BLUE	Axle cover, front or rear (blue) (2)		& clipless mounting) (requires #9834 front & rear bumpers)
9738-GRAY	Axle cover, front or rear (gray) (2)	9812-GRN	Body, Ford F-150 Truck (1979), complete, green (includes grille,
9738-RED	Axle cover, front or rear (red) (2)		side mirrors, door handles, roll bar, windshield wipers, side trim,
9738-SATIN	Axle cover, front or rear (satin chrome) (2)	9812-RED	& clipless mounting) (requires #9834 front & rear bumpers)
9741	Axle housing, front & rear	3012-KED	Body, Ford F-150 Truck (1979), complete, red (includes grille, side mirrors, door handles, roll bar, windshield wipers, side trim,
9729X	Axle shaft, front (hardened steel) (1)		& clipless mounting) (requires #9834 front & rear bumpers)
9730X	Axle shaft, rear (hardened steel) (1)	9812-WHT	Body, Ford F-150 Truck (1979), complete, white (includes grille,
9756	Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened		side mirrors, door handles, roll bar, windshield wipers, side trim,
	steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2)		& clipless mounting) (requires #9834 front & rear bumpers)
9729	Axle shafts, front, outer (2)	9844	Decal sheet, 1/18 scale TRX-4MT™ Bigfoot® No. 1
9730	Axle shafts, rear, outer (2)	9899	Decal sheet, 1/18 scale TRX-4M™ Ford F-150 Monster Truck
9743	Axle, front (assembled)/ M2.5x0.45 NL (2)		(1979)
9744	Axle, rear (assembled)/ M2.5x0.45 NL (2)	9829	Decal sheet, 1/18 scale TRX-4M™ Ford F-150 Truck (1979)
9779	Gears, axle (metal, front & rear)	9828	Decal sheet, Ford F-150 Truck (1979)
9754	Rebuild kit, constant-velocity driveshaft (includes pins for 2 driveshaft assemblies) (for front driveshafts or #9751 metal	9816	Door handles (left & right)/ mirrors, side (left & right)/ windshield wipers (fits #9812 body)
0777	center driveshafts)	9858	Engine detail, / trimming template (for #9811 & 9812 series bodies)
9777	Ring gear, axle (2)/ pinion gear, axle (2)	9857	Engine detail, 1/18 scale TRX-4MT™ Bigfoot® No. 1/ trimming
<b>9765</b> 9753	Skidplate, axle, front or rear (stainless steel) (2)		template (for #9812 body)
9753X	Stub axle, front (2)/ cross pins (2)/ drive pins (4)  Stub axle, front (hardened steel) (1)	9850	Front grille, 1/18 scale TRX-4MT™ Bigfoot® No. 1/ tailgate panel (blue)/ LED lenses (rear, left & right) (fits #9812 body)
	Bearings & Bushings	9819-BLK	Front grille/ tailgate panel (black)/ LED lenses (rear, left & right)
07.457			(fits #9812 body)
9745X	Ball bearing kit, black rubber sealed, complete (3x6x2.5mm (8),	9819-BLUE	Front grille/ tailgate panel (blue)/ LED lenses (rear, left & right)
9745R	5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4)) Ball bearing kit, transmission, black rubber sealed (contains		(fits #9812 body)
	3x6x2.5mm bearings (6))	9819-BRWN	Front grille/ tailgate panel (brown)/ LED lenses (rear, left & right) (fits #9812 body)
9745	Bushing kit, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9819-GRN	Front grille/ tailgate panel (green)/ LED lenses (rear, left & right) (fits #9812 body)
<b>BOdy</b> 9811	& Accessories (1979 Chevrolet® K10 Truck) Body, Chevrolet K10 Truck (1979), complete (unassembled)	9819-RED	Front grille/ tailgate panel (red)/ LED lenses (rear, left & right) (fits #9812 body)
3011	(white, requires painting) (includes grille, side mirrors, door handles, roll bar, windshield wipers, & clipless mounting)	9819-WHT	Front grille/ tailgate panel (white)/ LED lenses (rear, left & right) (fits #9812 body)
	(requires #9835 front & rear bumpers)	9819	Front grille/ tailgate panel (white, requires painting)/ LED lenses
9811-BLK	Body, Chevrolet K10 Truck (1979), complete, black (includes grille,		(rear, left & right) (unassembled) (fits #9812 body)
	side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)	9825	Latch, body mount, front (1)/ rear (1) (for clipless body mounting) (attaches to #9812 body)
9811-BLUE	Body, Chevrolet K10 Truck (1979), complete, blue (includes	9823	LED lenses, body, front & rear (complete set) (fits #9812 body)
	grille, side mirrors, door handles, roll bar, windshield wipers, &	9862X	Roll bar (assembled with LED lights) (fits #9811 or 9812 series
0044 ===	clipless mounting) (requires #9835 front & rear bumpers)		bodies)
9811-RED	Body, Chevrolet K10 Truck (1979), complete, red (includes grille, side		Roll bar (assembled) (fits #9811 or 9812 series bodies)
	mirrors, door handles, roll bar, windshield wipers, & clipless mounting)		Side trim, left & right (chrome) (fits #9812 body)
9898	(requires #9835 front & rear bumpers)  Decal sheet, 1/18 scale TRX-4M™ Chevrolet K10 Monster Truck	9815	Windows, body (fits #9812 body)
9090	(1979)	9815X	Windows, body (tinted) (fits #9812 body)
9827	Decal sheet, 1/18 scale TRX-4M™ Chevrolet K10 Truck (1979)		Bumpers & Skidplates
9817	Door handles (left & right)/ mirrors, side (left & right)/ windshield	9836	Bumper mount (front (1)/ rear (1)) (fits #9835 bumpers)
	wipers (fits #9811 body)	9847	Bumper, front (1)/ rear (1) (fits TRX-4MT™ with #9811 body)
9858	Engine detail, / trimming template (for #9811 & 9812 series bodies)	9765	Skidplate, axle, front or rear (stainless steel) (2)
9820	Front grille/ tailgate panel/ LED lenses (rear, left, & right) (fits #9811	9860	Skidplate, center
001-	body)		Chassis & Attachments
9813	Latch, body mount, front (1)/ rear (1) (for clipless body mounting)	9727	Battery strap
0040	(attaches to #9811 body)	9836	Bumper mount (front (1)/ rear (1)) (fits #9835 bumpers)
9818	LED lenses, body, front & rear (complete set) (fits #9811 body)	9840	Chassis rails, 220mm (steel) (left & right)
9862X	Roll bar (assembled with LED lights) (fits #9811 or 9812 series	9739-BLUE	Servo mount, 6061-T6 aluminum (blue-anodized)
0862	bodies) Poll har (assembled) (fits #0911 or 0912 series hadies)	9739-GRAY	Servo mount, 6061-T6 aluminum (dark titanium-anodized)
9862 9814	Roll bar (assembled) (fits #9811 or 9812 series bodies) Windows, body (fits #9811 body)	9739-GRN	Servo mount, 6061-T6 aluminum (green-anodized)
9814X	Windows, body (fits #9611 body) Windows, body (tinted) (fits #9811 body)	9739-ORNG	Servo mount, 6061-T6 aluminum (orange-anodized)
JU 14A	windows, body (linea) (lies #3011 body)	9739-RED	Servo mount, 6061-T6 aluminum (red-anodized)

9739 9831	Servo mount, steering/ servo horn Shock mounts, dual, front & rear (left & right, upper & lower)	<b>9761A</b> 9762	Lower retainer, shock, brass (1 gram each) (4) Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps)
	Driveline Components		(renews 2 shocks)
855	Driveshafts, center, assembled (front & rear) (fits 1/18 scale TRX-	9762A	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload spacer (4
500	4M™ vehicles with 161mm wheelbase)	9764 <b>9764-BLUE</b>	Shocks, GTM (assembled w/o springs) (2) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully
	Hardware	3704-BLOL	assembled w/o springs) (4)
746	Hardware kit, complete (contains all hardware used on 1/18 scale	9764-GRAY	Shocks, GTM, 6061-T6 aluminum (dark titanium-anodized) (fully
	TRX-4M™) (includes clear plastic storage container)		assembled w/o springs) (4)
746X	Hardware kit, stainless steel, complete (contains all stainless steel hardware used on 1/18-scale TRX-4M™) (includes body	9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully assembled w/o springs) (4)
	hardware and clear plastic storage container)	9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully assembled w/o springs) (4)
	LED Lights	9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assemble
790	LED light set, TRX-4M™ (fits #9795 utility trailer)		w/o springs) (4)
883	Pro Scale® LED light set, front & rear, complete (includes light harness, zip ties (6)) (fits #9811 body)	<b>9757</b> 9758	Spring, shock (GTM) (0.072 rate) (1 pair) Spring, shock (GTM) (0.095 rate) (1 pair)
786	Wire harness, LED lights (front)/ zip ties (2)	9759	Spring, shock (GTM) (0.033 rate) (1 pair)
339	Wire harness/ mount (for #9790 trailer LED light kit)	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
	Motors & Electronics		Springs
785	ECM-2.5 Electronic Control Module, waterproof (low voltage	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
	detection, fwd/rev/brake)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
064R	Gear set, metal (for 2065R waterproof sub-micro servo)	9759	Spring, shock (GTM) (0.123 rate) (1 pair)
793-BLUE	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized)	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
793-GRAY	Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium- anodized)		Steering Components
793-GRN	Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anodized)		Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right)
793-ORNG	Heat sink, Titan® 87T motor (6061-T6 aluminum, orange- anodized)	9733-GRAY	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left right)
793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)	9733-GRN	Caster blocks, 6061-T6 aluminum (green-anodized) (left & right)
775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)	9733-ORNG	, , , , ,
063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9733-RED	Caster blocks, 6061-T6 aluminum (red-anodized) (left & right)
740	Servo horn (metal)	9733 9737-BLUE	Caster blocks, brass (4 grams each) (left & right) Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)
065R	Servo, sub-micro, waterproof, metal gear	3737-BLUL	2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock
	Radio System, Batteries & Chargers		(4)
821 <b>914</b>	750mAh 7.4V 2-Cell 20C LiPo Battery  AA 4PK	9737-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (lef & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517		threadlock) (4)
	transmitter)	9737-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left &
767	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only)		right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
064A	Gear set (for 2065A waterproof sub-micro servo)	9737-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left &
064R	Gear set, metal (for 2065R waterproof sub-micro servo)		right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9737-RED	threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/
7 <b>40</b> 065R	Servo horn (metal) Servo, sub-micro, waterproof, metal gear	3737-KED	2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock
516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)		(4)
	Ready-To-Race Model	9737	Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
3064-1	TRX-4MT™ Monster Truck with 1979 Chevrolet® K10 Truck Body:	9732	Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)
	1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System	9748-BLUE	Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn,
	Scale Accessories		metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load	9748-GRAY	SS (with threadlock) (1) Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo
	spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)	0.10 0.01	horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/
797 705	Trailer wheels (2)/ tires (2)/ mounting hardware		2.5x7mm SS (with threadlock) (1)
795	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)	9748-GRN	Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
	Shock Oil		SS (with threadlock) (1)
031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	9748-ORNG	Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn,
)32	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
33	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	9748-RED	SS (with threadlock) (1) Steering link, 6061-T6 aluminum (red-anodized)/ servo horn,
34	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	21-10-IVED	metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
35	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)		SS (with threadlock) (1)
036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	9842	Suspension link set, complete (front & rear) (includes steering link (1
)37 )29	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)		front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)
)29 )38X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &		
•	80 wt premium shock oils with spinning carousel rack)	7000	Suspension Linkage
038	Spinning carousel rack	7028 <b>7028X</b>	Hollow balls (20) Hollow balls, steel (machined) (22)
	Shocks	7026X 7059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory
763-BLUE	Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes	•	suspension links)
	spring pre-load spacers) (2)	9842	Suspension link set, complete (front & rear) (includes steering link (1

	Hardware kit, stainless steel, complete (contains all stainless	3704-OKN	assembled w/o springs) (4)
	steel hardware used on 1/18-scale TRX-4M™) (includes body hardware and clear plastic storage container)	9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully
			assembled w/o springs) (4)
	LED Lights	9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assembled
9790	LED light set, TRX-4M™ (fits #9795 utility trailer)		w/o springs) (4)
9883	Pro Scale® LED light set, front & rear, complete (includes light	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
2700	harness, zip ties (6)) (fits #9811 body)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9786 9 <b>839</b>	Wire harness, LED lights (front)/ zip ties (2)	9759	Spring, shock (GTM) (0.123 rate) (1 pair)
1039	Wire harness/ mount (for #9790 trailer LED light kit)	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
	Motors & Electronics		Springs
785	ECM-2.5 Electronic Control Module, waterproof (low voltage	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
	detection, fwd/rev/brake)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
064R	Gear set, metal (for 2065R waterproof sub-micro servo)	9759	Spring, shock (GTM) (0.123 rate) (1 pair)
793-BLUE 793-GRAY	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized)	9760	Spring, shock (GTM) (0.155 rate) (1 pair)
793-GRA1	Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium- anodized)		Steering Components
793-GRN	Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anodized)	9733-BLUE	Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right)
793-ORNG	Heat sink, Titan® 87T motor (6061-T6 aluminum, orange-	9733-GRAY	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left &
	anodized)		right)
793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)	9733-GRN	Caster blocks, 6061-T6 aluminum (green-anodized) (left & right)
775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)	9733-ORNG	Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right)
063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9733-RED	Caster blocks, 6061-T6 aluminum (red-anodized) (left & right)
740	Servo horn (metal)	9733	Caster blocks, brass (4 grams each) (left & right)
:065R	Servo, sub-micro, waterproof, metal gear	9737-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/
	Radio System, Batteries & Chargers		2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock (4)
2821	750mAh 7.4V 2-Cell 20C LiPo Battery	9737-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left
2914	AA 4PK	0.0. 0.0.	& right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
3548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517		threadlock) (4)
	transmitter)	9737-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left &
767	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector		right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
	only)		threadlock) (4)
064A	Gear set (for 2065A waterproof sub-micro servo)	9737-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left &
064R	Gear set, metal (for 2065R waterproof sub-micro servo)		right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
.063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9737-RED	threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/
740	Servo horn (metal)	3/3/-KED	2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock
2065R	Servo, sub-micro, waterproof, metal gear		(4)
3516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	9737	Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm
	Ready-To-Race Model		BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
8064-1	TRX-4MT™ Monster Truck with 1979 Chevrolet® K10 Truck Body:	9732	Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)
	1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System	9748-BLUE	Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn,
	Scale Accessories		metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
9796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load	9748-GRAY	SS (with threadlock) (1) Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo
	spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)	3740-OKA1	horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/
797	Trailer wheels (2)/ tires (2)/ mounting hardware		2.5x7mm SS (with threadlock) (1)
795	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load	9748-GRN	Steering link, 6061-T6 aluminum (green-anodized)/ servo horn,
	spacers (2)/ 2.5x8mm BCS (2)		metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
	Shock Oil		SS (with threadlock) (1)
031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	9748-ORNG	Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn,
032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)		SS (with threadlock) (1)
	OII. SHOCK 140 WL 200 CSL DUCCI (SHICOHE)		
		9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn,
034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
034 035	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)		Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
034 035 036	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	9748-RED 9842	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
034 035 036 037	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone)		Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1)
034 035 036 037 029	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)		Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)
034 035 036 037 029 038X	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)	9842	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SUSTBIBTION LINKALD
034 035 036 037 029 038X	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack	9842	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SUSTIBITION LINKS Hollow balls (20)
034 035 036 037 029 038X	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack	9842 7028 <b>7028X</b>	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SUSTINISION LINEARY Hollow balls (20) Hollow balls, steel (machined) (22)
034 035 036 037 029 038X	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack	9842	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SUSTIGITION LINKALIG
034 035 036 037 029 038X	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack	9842 7028 <b>7028X</b>	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SISIBIOI Links Hollow balls (20) Hollow balls (20) Hollow balls, steel (machined) (22) Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)
034 035 036 037 0029 038X 038	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack  SIDCLS  Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes	9842 7028 <b>7028X</b> <b>7059</b>	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SISIBIOI LINKLED Hollow balls (20) Hollow balls, steel (machined) (22) Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)
5034 5035 5036 5037 5029 5038X 5038	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack  Since (S	9842 7028 <b>7028X</b> <b>7059</b>	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)  Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SISIBIOI LINE (1)  Hollow balls (20)  Hollow balls, steel (machined) (22)  Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)  Suspension link set, complete (front & rear) (includes steering link (1)
034 035 036 037 029 038X 038 763-BLUE	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack  SIDC (S  Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes	9842 7028 <b>7028X</b> <b>7059</b> 9842	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SISTEMS OF THE LIFE Hollow balls (20) Hollow balls, steel (machined) (22) Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)
1034 1035 1036 1037 1029 1038X 1038 1763-BLUE 1763-GRAY	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack SIDCIS  Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2)	9842 7028 <b>7028X</b> <b>7059</b> 9842	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)  Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SUSTIBLICT LITERS OF LITER
5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack  Since (S  Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized)	9842 7028 7028X 7059 9842	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)  Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SISIBIDIDIDIDIDIDIDIDIDIDIDIDIDIDIDIDIDI
5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY 9763-GRN	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack  Since (S  Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2)	9842 7028 7028X 7059 9842 9916 2514	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SUSTIBLIATION (III) Hollow balls (20) Hollow balls, steel (machined) (22) Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links) Suspension links set, complete (front & rear) (includes steering link (1) front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  10:1111 113 (1) (1) 10:115 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar) Decal sheet, racing sponsors
5034 5035 5036 5037 5029 5038X 5038 9763-BLUE 9763-GRAY	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Spinning carousel rack  Since (S  Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2) Body, GTM shock, 6061-T6 aluminum (orange-anodized)	9842 7028 7028X 7059 9842	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)  Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  SUSTIBLET OF LITTLE F.  Hollow balls (20)  Hollow balls, steel (machined) (22)  Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)  Suspension links et, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)  TEXTIBLES (GIIS)  Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)

## Page 3 TRX-4MT™ 1/18 1979 Chevrolet® K10 Monster Truck: TQ 2.4 GHz Radio (Model 98064-1) Parts List

8716

8716X

8715

8715X

8714

2748R

3415

9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)
	Tires & Wheels
9879	Foam inserts, 3.0" (soft) (2)
9774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" tires) (2)
9773	Tires & wheels, assembled (black 1.0" wheels, Canyon Trail 2.2x1.0" tires) (2)
9873	Tires & wheels, assembled (chrome 1.0" wheels, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" tires) (2)
9867	Tires & wheels, assembled (chrome 1.2" wheels, Terra Groove 3.0x1.0" tires) (2)
9771	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)
9769	Tires, Canyon Trail 2.2x1.0" (2)
9782	Tires, Mickey Thompson® Baja Pro™ X 2.2x1.0" (2)
9871	Tires, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" (2)
9750	Wheel hubs, 7mm hex (4)/ axle pins (8)
9750A	Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)
9750X	Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8)
9780	Wheel weights, brass (31 grams each) (2) (requires #9781 series wheels)
9880	Wheel weights, brass (31 grams per wheel) (2)
9770-BLKCR	Wheels, 1.0" (black chrome) (2)
9768-BLKCR	Wheels, 1.0" (black chrome) (2)
9770	Wheels, 1.0" (black) (2)
9768	Wheels, 1.0" (black) (2)
9870	Wheels, 1.0" (chrome) (2)
9768-SATIN	Wheels, 1.0" (satin chrome) (2)
9770-SATIN	Wheels, 1.0" (satin chrome) (2)
9781	Wheels, 1.0", Method Race Wheels® 105 Beadlock (black, beadlock) (2)
9781-BLKBL	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black
	chrome with blue beadlock) (2)
9781-SATIN	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2)

			<u> </u>	
п	$\mathbf{p}_{111}$	ission	Compa	manto
		וויוניתים	יוויוווויוי	1114116

9745R	Ball bearing kit, transmission, black rubber sealed (contains 3x6x2.5mm bearings (6))
9776	Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/ pinion gear, 11-tooth
9776R	Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/ pinion gear, 11-tooth
9776X	Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion gear, 11-tooth
9747	Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/ 2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/ 3x16mm pins (2)
9747X	Output shaft, transmission
9791	Transmission, complete (high range (trail) gearing) (16.6:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
9791R	Transmission, complete (low range (crawl) gearing) (40.3:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)

_	11	1	_			
		LD.		H	1	

	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive

Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive

Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive

Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive

Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM